

To: Dermer, Michele[Dermer.Michele@epa.gov]; Albright, David[Albright.David@epa.gov]
From: Rao, Kate
Sent: Wed 6/1/2016 10:34:40 PM
Subject: RE: CA UIC slides for Mike

OK. David if you want me to be in on the call, can you please call my home number

Ex. 2

Ex. 2

Kate Rao
Drinking Water Protection Section (WTR 3-2)
USEPA Region 9
75 Hawthorne St., San Francisco, CA 94105
tel: (415) 972-3533 / fax: (415) 947-3549

From: Dermer, Michele
Sent: Wednesday, June 01, 2016 3:32 PM
To: Rao, Kate <Rao.kate@epa.gov>; Albright, David <Albright.David@epa.gov>
Subject: RE: CA UIC slides for Mike

According to David's schedule he should be wrapping up a meeting with Judy. He can call me or both of us. Whatever he wants to do. I will turn my ringer on, apparently I missed a call from him earlier!

From: Rao, Kate
Sent: Wednesday, June 01, 2016 3:31 PM
To: Dermer, Michele <Dermer.Michele@epa.gov>; Albright, David <Albright.David@epa.gov>
Subject: RE: CA UIC slides for Mike

Should I call in?

Kate Rao
Drinking Water Protection Section (WTR 3-2)

USEPA Region 9
75 Hawthorne St., San Francisco, CA 94105
tel: (415) 972-3533 / fax: (415) 947-3549

From: Dermer, Michele
Sent: Wednesday, June 01, 2016 3:26 PM
To: Albright, David <Albright.David@epa.gov>; Rao, Kate <Rao.kate@epa.gov>
Subject: RE: CA UIC slides for Mike

You can call me.

From: Albright, David
Sent: Wednesday, June 01, 2016 3:22 PM
To: Dermer, Michele <Dermer.Michele@epa.gov>; Rao, Kate <Rao.kate@epa.gov>
Subject: RE: CA UIC slides for Mike

Who gets comments? Easier to do it over the phone.

From: Dermer, Michele
Sent: Wednesday, June 01, 2016 2:52 PM
To: Albright, David <Albright.David@epa.gov>; Rao, Kate <Rao.kate@epa.gov>
Subject: RE: CA UIC slides for Mike

Here is a first draft. Thanks for your help Kate.

From: Albright, David
Sent: Wednesday, June 01, 2016 8:20 AM
To: Dermer, Michele <Dermer.Michele@epa.gov>

Cc: Rao, Kate <Rao.kate@epa.gov>
Subject: CA UIC slides for Mike

Hi Michele,

We need 2-3 slides that Mike can use for a meeting he and Tomas have next week in DC. Mike suggested 1) the CA map with depiction of the Class II wells needing an AE; 2) a simplified slide showing the schedule for well closures, if AEs not approved; and one other slide? What do you think? David

David Albright | Drinking Water Protection Section | EPA Region 9 San Francisco | 415 972-3971